

SEQUENCE LISTING

<110> Sirna Therapeutics, Inc.
Vargese, Chandra
Haeberli, Peter
Wang, Weimin
Chen, Tongqian

<120> Conjugates and Compositions for Cellular Delivery

<130> 600/041 (MBHB02-312-G)

<140> US 10/427,160
<141> 2003-04-30

<150> PCT/US 02/15876
<151> 2002-05-17

<150> US 60/292,217
<151> 2001-05-18

<150> US 60/362,016
<151> 2002-03-06

<150> US 60/306,883
<151> 2001-07-20

<150> US 60/311,865
<151> 2001-08-13

<150> PCT/US 03/05346
<151> 2003-02-20

<150> PCT/US 03/05028
<151> 2003-02-20

<150> US 60/358,580
<151> 2002-02-20

<150> US 60/363,124
<151> 2002-03-11

<150> US 60/386,782
<151> 2002-06-06

<150> US 60/406,784
<151> 2002-08-29

<150> US 60/408,378
<151> 2002-09-05

<150> US 60/409,293
<151> 2002-09-09

<150> US 60/440,129
<151> 2003-01-15

<160> 24
 <170> PatentIn version 3.2
 <210> 1
 <211> 10
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Example of a Stem II region

<400> 1
 gccguuaggc 10

<210> 2
 <211> 15
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Generic Target Nucleic Acid

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> n stands for a, c, g, or u

<220>
 <221> misc_feature
 <222> (9)..(15)
 <223> n stands for a, c, g, or u

<220>
 <221> misc_feature

<222> (8)..(8)

<223> n stands for a, u, or c

<400> 2

nnnnnnnnnnnn nnnnn

15

<210> 3

<211> 36

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(7)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (16)..(18)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (23)..(25)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (31)..(36)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

```

<222> (1) .. (8)
<223> 2'-O-Methyl
<220>
<221> misc_feature
<222> (12) .. (12)
<223> 2'-O-Methyl
<220>
<221> misc_feature
<222> (14) .. (26)
<223> 2'-O-Methyl
<220>
<221> misc_feature
<222> (28) .. (29)
<223> 2'-O-Methyl
<220>
<221> misc_feature
<222> (31) .. (36)
<223> 2'-O-Methyl
<220>
<221> misc_feature
<222> (9) .. (9)
<223> 2'-deoxy-2'-C-Allyl
<400> 3
nnnnnnncug augagnnga aannncgaaa nnnnnn
<210> 4
<211> 14
<212> RNA

```

36

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Generic Target Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(5)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (8)..(14)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (7)..(7)

<223> n stands for a, u, or c

<400> 4

nnnnncnnnn nnnn

14

<210> 5

<211> 35

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(7)

<223> n stands for a, c, g, or u

<220>
<221> misc_feature
<222> (16)..(18)
<223> n stands for a, c, g, or u

<220>
<221> misc_feature
<222> (23)..(25)
<223> n stands for a, c, g, or u

<220>
<221> misc_feature
<222> (31)..(35)
<223> n stands for a, c, g, or u

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (14)..(26)
<223> 2'-O-Methyl

<220>
<221> misc_feature

<222> (28)..(29)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (31)..(35)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (30)..(30)

<223> n stands for Inosine

<220>

<221> misc_feature

<222> (9)..(9)

<223> 2'-deoxy-2'-C-Allyl

<400> 5

nnnnnnncug augagnnnga aannncgaan nnnnn

35

<210> 6

<211> 15

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Generic Target Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(6)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (9)..(15)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (7)..(7)

<223> n stands for u, or c

<400> 6

nnnnnnngnn nnnnn

15

<210> 7

<211> 35

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(7)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (29)..(35)

<223> n stands for a, c, g, or u

<220>

<221> misc_feature

<222> (1)..(8)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (13)..(16)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (18)..(35)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (11)..(11)

<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 7

nnnnnnnuga uggcaugcac uaugcgcgnn nnnnn

35

<210> 8

<211> 48

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(8)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (12) .. (21)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (32) .. (37)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (44) .. (48)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (9) .. (10)

<223> 2'-deoxy-2'-amino

<220>

<221> misc_feature

<222> (22) .. (26)

<223> 2'-deoxy-2'-amino

<220>

<221> misc_feature

<222> (38) .. (40)

<223> 2'-deoxy-2'-amino

<400> 8

gugugcaacc ggaggaaacu cccuucagg acgaaagucc gggacggg

48

<210> 9
 <211> 16
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Target Nucleic Acid

<400> 9
 gccguggguu gcacac

16

<210> 10
 <211> 36
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>
 <221> misc_feature
 <222> (1)..(7)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (36)..(36)
 <223> 3'-3' inverted abasic moiety

<220>
 <221> misc_feature
 <222> (9)..(15)
 <223> 2'-O-Methyl

<220>

<221> misc_feature
 <222> (19)..(19)
 <223> 2'-O-Methyl
 <220>
 <221> misc_feature
 <222> (21)..(21)
 <223> 2'-O-Methyl
 <220>
 <221> misc_feature
 <222> (23)..(23)
 <223> 2'-O-Methyl
 <220>
 <221> misc_feature
 <222> (26)..(26)
 <223> 2'-O-Methyl
 <220>
 <221> misc_feature
 <222> (28)..(35)
 <223> 2'-O-Methyl
 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> Phosphorothioate 3'-Internucleotide Linkage
 <220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-Deoxy-2'-Amino

<220>

<221> misc_feature

<222> (27)..(27)

<223> 2'-Deoxy-2'-Amino

<400> 10

gugccuggcc gaaaggcgag ugaggucugc cgcgcn

36

<210> 11

<211> 15

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Target Nucleic Acid

<400> 11

gcgcggcgca ggcac

15

<210> 12

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<400> 12

rggctagcta caacga

16

<210> 13

<211> 33

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(4)

<223> Phosphorothioate 3'-Internucleotide Linkage

<220>

<221> misc_feature

<222> (1)..(15)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (17)..(22)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (25)..(25)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (27)..(33)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (16)..(16)

<223> 2'-deoxy-2'-amino

<220>

<221> misc_feature

<222> (26)..(26)

<223> 2'-deoxy-2'-amino

<220>

<221> misc_feature

<222> (33)..(33)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 13

gcaguggccg aaaggcgagu gaggucuagc uca

33

<210> 14

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<220>

<221> misc_feature

<222> (16)..(16)

<223> Amide-substituted carboxy terminus on the lysine residue.

<400> 14

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys
1 5 10 15

<210> 15

<211> 26

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 15

Ala Ala Val Ala Leu Leu Pro Ala Val Leu Leu Ala Leu Leu Ala Pro
1 5 10 15

Val Gln Arg Lys Arg Gln Lys Leu Met Pro
20 25

<210> 16

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 16

Met Gly Leu Gly Leu His Leu Leu Val Leu Ala Ala Ala Leu Gln Gly
1 5 10 15

Ala

<210> 17

<211> 24

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 17

Gly Ala Leu Phe Leu Gly Phe Leu Gly Ala Ala Gly Ser Thr Met Gly
1 5 10 15

Ala Pro Lys Ser Lys Arg Lys Val
20

<210> 18

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 18

Arg Lys Lys Arg Arg Gln Arg Arg Arg
1 5

<210> 19

<211> 24

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 19

Gly Leu Phe Glu Ala Ile Ala Gly Phe Ile Glu Asn Gly Trp Glu Gly
1 5 10 15

Met Ile Asp Gly Gly Gly Tyr Cys
20

<210> 20

<211> 5

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(1)

<223> Xaa stands for any amino acid

<220>

<221> misc_feature

<222> (5)..(5)

<223> Xaa stands for any amino acid

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 20

Xaa Arg Gly Asp Xaa
1 5

<210> 21
 <211> 27
 <212> PRT
 <213> Artificial Sequence

<220>
 <221> misc_feature
 <223> Synthetic peptide

<400> 21
 Gly Trp Thr Leu Asn Ser Ala Gly Tyr Leu Leu Gly Lys Ile Asn Leu
 1 5 10 15
 Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu
 20 25

<210> 22
 <211> 9
 <212> PRT
 <213> Artificial Sequence

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> Ser stands for optional Serine for coupling

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> Phe stands for optional D isomer for stability

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> Trp stands for optional D isomer for stability

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 22

Ser Phe Cys Tyr Trp Lys Thr Cys Thr
1 5

<210> 23

<211> 9

<212> PRT

<213> Artificial Sequence

<220>

<221> misc_feature

<222> (1)..(1)

<223> Ser stands for optional Serine for coupling

<220>

<221> misc_feature

<223> Synthetic peptide

<400> 23

Ser Asp His Gln Leu Asn Pro Ala Phe
1 5

<210> 24

<211> 34

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Nucleic Acid

<220>

<221> misc_feature

<222> (1)..(4)

<223> Phosphorothioate 3'-Internucleotide Linkage

<220>

<221> misc_feature

<222> (1)..(8)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (13)..(25)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (27)..(28)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (30)..(34)

<223> 2'-O-Methyl

<220>

<221> misc_feature

<222> (11)..(11)

<223> 2'-deoxy-2'-C-Allyl

<220>

<221> misc_feature

<222> (34)..(34)

<223> 3'-3 attached terminal deoxyabasic moiety

<400> 24

gaguugcuga ugaggccgaa aggccgaaag ucug

34